


IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Effective Date: June 2011 Void After: June 2012

Product: Shower Pan Liners (PVC) File No. 3577

Issued To: The Noble Manufacturing Co.
7001 Scenic Hwy
Baton Rouge, LA 70807

IDENTIFICATION: Material complying with ASTM D 4551 shall be continuously marked and shall include the following spaced out at intervals of not more than 2 ft. (610mm): Manufacturer's name (or brand name or trademark), material designation, "Grade 30 or Grade 40", with which the sheet complies, "ASTM D 4551" and the UPC® certification mark.

CHARACTERISTICS: A 30 or 40 mil PVC waterproofing membrane for use as shower pan liners. Available in rolls of various widths and lengths. Sheets are to be joined and installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

NOTE: A layer of standard grade fifteen (15) pound asphalt impregnated roofing felt must be formed to the sub-base prior to installing the 30 mil material. Manufacturer furnished dam corners are required.

Products comply with the applicable sections of the latest edition of the Uniform Plumbing Code® and the International Plumbing Code®. Manufactured in compliance with ASTM D 4551-96 (R08)e1.


Chairman, Product Certification Committee



CEO, The IAPMO Group



For the most accurate and updated information please visit <http://pld.iapmo.org/3577>

This listing is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Reproduction of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.

DOC#081A



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 2


Void After: June 2012

Product: Shower Pan Liners (PVC)

File No. 3577

Issued To: The Noble Manufacturing Co.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 3

Void After: June 2012


Product: Shower Pan Liners (PVC)

File No. 3577

Issued To: The Noble Manufacturing Co.

MODELS:

Richpan 1040 & Richpan 1030 (Sizes 48", 60", 72" in 50 ft. & 100 ft. lengths)



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 4

Void After: June 2012

Product: Shower Pan Liners (PVC)

File No. 3577

Issued To: The Noble Manufacturing Co.

ADDITIONAL COMPANY INFO:

Dal-Tile Corp.

Dal-Pan 30 Grade Blue & Dal-Pan 40 Grade Beige